	T	<u> </u>
ı	Application No.	Applicant(s)
Notice of Allowability	09/603,255	MANDERFIELD ET AL.
	Examiner	Art Unit
	Niki M. Eloshway	3727
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment filed 7/26/06.		
2. The allowed claim(s) is/are <u>1-10 and 21-25</u> .		
3. The drawings filed on 23 June 2000 are accepted by the Examiner.		
<ul> <li>4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the: <ol> <li>Certified copies of the priority documents have been received.</li> <li>Certified copies of the priority documents have been received in Application No.</li> <li>Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ol> </li> <li>* Certified copies not received:</li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS ( as "replacement sheets") mus  (a) including changes required by the Notice of Draftspers  1) hereto or 2) to Paper No./Mail Date  (b) including changes required by the attached Examiner's Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the	son's Patent Drawing Review (PTO s Amendment / Comment or in the C .84(c)) should be written on the drawing	Office action of ings in the front (not the back) of
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
A445		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal F	Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	Paper No./Mail Da 08), 7. ⊠ Examiner's Amendr	te ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.  Other	

Application/Control Number: 09/603,255

Art Unit: 3727

## **EXAMINER'S AMENDMENT**

- 1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
- 2. Authorization for this examiner's amendment was given in a telephone interview (via voicemail) with Mr. Brient (Reg. No. 44,561) on September 1, 2006.
- 3. The application has been amended as follows: Claims 11-20 have been cancelled.

## REASONS FOR ALLOWANCE

4. The following is an examiner's statement of reasons for allowance: The prior art of record does not teach a plastic container, which is capable of resisting permanent deformation when used in a hot fill or retort process, having a lower frustum with a larger volume than the upper frustum and an upper rim defining an opening as large as the widest diameter of the container.

The prior art containers of Nosella (U.S. D438,116), Rhodes (U.S. D379,589), Fullerton et al. (U.S. D16,389) and Bezek et al. (U.S. D447,418 S) are similar to the claimed invention because they show a container with a lower frustum having a larger volume than the upper frustum, however, none of these reference teach an opening which is as large as the widest diameter of the container. These references are also silent as to the deformation resistance and, in some cases, the material of the container.

5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 3727

## **CONCLUSION**

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Niki M. Eloshway whose telephone number is 571-272-4538. The examiner can normally be reached on Thursdays and Fridays 8 a.m. to 4 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor,

Nathan Newhouse can be reached on 571-272-4544. The fax phone number for the organization where
this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Xiki M. Eloshway

Examiner Art Unit 3727

**NME** 

NATHAN J. NEWHOUSE SUPERVISORY PATENT EXAMINER